

Expanded
Ultimate Privacy™
Collection



ASi *Accurate
Partitions*

THE LARGEST SELECTION OF ULTIMATE PRIVACY™ OPTIONS IN THE INDUSTRY.

ASI offers the most comprehensive collection of Ultimate Privacy toilet partitions in the industry. Ultimate Privacy Phenolic and Alpaco partitions feature self closing overlapping doors to remove sightlines into the stall. Ultimate Privacy Powder Coated and Stainless Steel partitions feature our no-sight system—a continuous strike keeper and continuous hinge side filler that eliminates sightlines into the stall. A variety of patterns and colors allows for design flexibility to complement any washroom.



Phenolic - Ultimate Privacy

Phenolic partitions are strong, durable and feature doors and panels up to 72" high. Self-Closing rebated doors overlap to remove any sightlines into the stall to ensure privacy.



Alpaco Classic

Alpaco Classic partitions combine simplicity and functionality. Design features include dramatic lines, bold hardware and adjustable pedestals to level any inconsistencies in the floor.



Alpaco Elegance

Alpaco Elegance partitions are both strong and graceful with sophisticated details. They are available in a wide range of colors and finishes.



Powder Coated - Ultimate Privacy


These powder coated steel partitions provide both quality and economy. Features doors and panels up to 72" high, with no-sight system.




Stainless Steel - Ultimate Privacy

Stainless steel partitions offer a modern look that stays fresh over time along with their engineered durability. Features doors and panels up to 72" high, with no-sight system.

Construction Features

 **ADA Compliance for Extra Height Stalls:** For stalls to be ADA compliant they must be configured differently allowing for toe clearance under the panels and doors. This can be achieved by adding depth and width to the stall, or by mounting doors and panels at least 9" off the finished floor."

Please follow all ADA guidelines, making sure to also consider any local requirements.




NO-SIGHT SYSTEM

Continuous stop and hinge side filler eliminate sightlines into the compartment.

Available with:

- Phenolic
- Solid Plastic (HDPE)
- Stainless Steel
- Powder Coated




OCCUPANCY INDICATOR

Occupancy latch with an emergency access capability indicates when stall is occupied.

Available with:

- Phenolic
- Solid Plastic (HDPE)
- Alpaco Classic
- Alpaco Elegance




FLUSH FINISH SELF-CLOSING DOORS

All of our self-closing doors and pilasters meet in a flush finish with routed, overlapping closures for guaranteed privacy.

Available with:

- Phenolic
- Alpaco Classic
- Alpaco Elegance



EASY-STALL SHOE

For floor anchored overhead braced. Easily adjusted leveling bolt. True concrete anchor screws designed for lasting holding power.


Anchor rated at 2770 lbs. pullout strength.

Made of Type 304 stainless steel.


Available with:

- Phenolic
- Solid Plastic (HDPE)


ASI ACCURATE STYLES




Floor Anchored/Overhead Braced



Floor Anchored



Ceiling Hung



Floor to Ceiling Anchored



ADA Compliance for Extra Height Stalls: For stalls to be ADA compliant they must be configured differently allowing for toe clearance under the panels and doors. This can be achieved by adding depth and width to the stall, or by mounting doors and panels at least 9" off the finished floor.

Please follow all ADA guidelines, making sure to also consider any local requirements.

ASI ULTIMATE PRIVACY SIZES

| Alpaco | Style | Mounting Configuration | <ul style="list-style-type: none"> Door & Panel Height Mounting Height | Cost vs Phenolic UP-72 | Privacy Construction |
|--|------------------------------------|--|---|---------------------------|---|
| Classic | European Style Phenolic Partitions | Floor Mounted Overhead Braced with Adjustable Pedestals | <ul style="list-style-type: none"> 76-3/4" Doors & Panels 6" or 9" Above Finished Floor | + 45% | <ul style="list-style-type: none"> Doors & Pilasters interlock with Zero-Sightline™ routed edges PLUS, Continuous Brackets |
| Elegance | | | <ul style="list-style-type: none"> 78.6" Doors & Panels 6" or 9" Above Finished Floor | + 45% | |
| Material | System | Mounting Configuration | <ul style="list-style-type: none"> Door & Panel Height Mounting Height | Cost vs Standard Offering | Privacy Construction |
| Stainless Steel OR Powder Coated Steel | Ultimate Privacy | <ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor Mounted Floor to Ceiling Ceiling Hung | <ul style="list-style-type: none"> 58" Doors & Panels 12" Above Finished Floor | + 12% | <ul style="list-style-type: none"> No-Sight System™, includes <ul style="list-style-type: none"> - Continuous Strike Keeper - Continuous Hinge Side Filler PLUS, Continuous Brackets |
| | Ultimate Privacy-64 | <ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor to Ceiling | <ul style="list-style-type: none"> 64" Doors & Panels 6" or 9" Above Finished Floor | + 35% | |
| | Ultimate Privacy-72 | <ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor to Ceiling | <ul style="list-style-type: none"> 72" Doors & Panels 6" or 9" Above Finished Floor | + 45% | |
| Phenolic | Ultimate Privacy | <ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor Mounted Floor to Ceiling Ceiling Hung | <ul style="list-style-type: none"> 58" Doors & Panels 12" Above Finished Floor | + 15% | <ul style="list-style-type: none"> Doors & Pilasters interlock with Zero-Sightline™ routed edges PLUS, Continuous Brackets OR Continuous Strike Keeper Continuous Hinge PLUS, Continuous Brackets |
| | Ultimate Privacy-64 | <ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor to Ceiling Ceiling Hung | <ul style="list-style-type: none"> 64" Doors & Panels 6" or 9" Above Finished Floor | + 40% | |
| | Ultimate Privacy-72 | <ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor to Ceiling | <ul style="list-style-type: none"> 72" Doors & Panels 6" or 9" Above Finished Floor | + 50% | |
| Solid Plastic (HDPE) | No-Sight-55 | <ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor Mounted Floor to Ceiling Ceiling Hung | <ul style="list-style-type: none"> 55" Doors & Panels 14" Above Finished Floor | + 20% | <ul style="list-style-type: none"> Doors & Pilasters interlock with Zero-Sightline™ routed edges PLUS, Continuous Brackets OR Continuous Strike Keeper Continuous Hinge PLUS, Continuous Brackets |



160 Tower Drive
Burr Ridge, IL 60527
Phone: 708.442.6800
Fax: 708.442.7439
Web: asi-accuratepartitions.com